

[54] **PROCESS OF MAKING COLLAGEN MEMBRANES FOR MEDICAL USE**

[75] Inventor: George Chu, Sunnyvale, Calif.

[73] Assignee: Collagen Corporation, Palo Alto, Calif.

[21] Appl. No.: 839,793

[22] Filed: Mar. 13, 1986

Related U.S. Application Data

[62] Division of Ser. No. 685,350, Dec. 24, 1984, Pat. No. 4,600,533.

[51] Int. Cl.⁴ B29B 7/84

[52] U.S. Cl. 264/102; 264/202; 264/209.5; 264/217; 264/232; 264/233; 264/299; 128/156; 128/DIG. 8; 514/21; 514/801; 530/356

[58] Field of Search 264/101, 108, 202, 209.1, 264/209.5, 217, 232, 233, 299, 102; 128/DIG. 8, 82, 155, 156; 260/123.7; 428/473; 514/21, 801; 604/368; 530/356

[56] **References Cited**

U.S. PATENT DOCUMENTS

2,934,446 4/1960 Highberger et al. 530/356 X
2,934,447 4/1960 Highberger et al. 530/356 X

3,471,598 10/1969 Battista 264/28
3,632,361 1/1972 Battista 106/122
4,440,680 4/1984 Cioca 530/356
4,451,397 5/1984 Huc et al. 530/356
4,505,855 3/1985 Bruns et al. 530/356
4,511,653 4/1985 Play et al. 530/356 X
4,557,764 12/1985 Chu 530/356 X

Primary Examiner—Jan Silbaugh

Assistant Examiner—Harold Y. Pyon

Attorney, Agent, or Firm—Ciotti & Murashige

[57] **ABSTRACT**

A process for preparing collagen membranes useful in tissue repair, and wound healing and related membranous implant materials useful in both hard and soft tissue applications is disclosed. The resulting membranes and materials have properties which can be varied as desired to suit intended use. Variation results from altering the precise conditions of formation of the membrane or of related fibers and solids. The process comprises first forming a gel from solubilized collagen, followed by converting the gel into a one-, two- or three-dimensional membranous solid form. This conversion is performed either by applying pressure to the gel, or by disrupting the gel and separating the resulting precipitate for casting.

9 Claims, 2 Drawing Figures

